

[Logo Here]

	Rhode Island		Comparisons			
Health Behaviors	Rank	Value	U.S. Average	Benchmark (10th Ranked State)	For this measure, it's better for the score to be...	Data Year
Excessive Drinking	31	18.6%	18.0%	15.8%	Lower score is better	2018
Childhood Obesity	30	31.2%	30.8%	25.6%	Lowest	2017-18
Physical inactivity	33	25.3%	23.8%	21.0%	Lowest	2018
Obese adults	11	27.7%	30.9%	27.6%	Lowest	2018
Smoking status	16	14.6%	16.1%	13.7%	Lowest	2018
Access and Affordability	Rank	Value	U.S. Average	Benchmark (10th Ranked State)	#1 Ranked State's Value is the...	Data Year
Employee total potential out-of-pocket medical costs (premium contribution + deductible) as a share of state median income	31	11.7%	11.7%	9.5%	Lowest	2017
Medicaid community based expenditures	-	33.0%	-	-	-	2018
Healthcare access	13	10.5%	12.2%	10.0%	Lowest	2018
Number of mental health providers	6	409.5	247.4	373.3	Highest	2019
Adults who are uninsured	3	5.7%	12.5%	7.6%	Lowest	2018
Children who are uninsured	4	2.2%	5.2%	2.7%	Lowest	2018
Dental visit in past year	7	27.7%	32.4%	28.3%	Lowest	2018
Usual source of care	3	13.9%	22.3%	16.4%	Lowest	2018
Clinical Care (Prevention & Treatment)	Rank	Value	U.S. Average	Benchmark		Data Year
Low Birthweight	15	7.5%	8.3%	7.0%		2017
Mortality amenable to health care (rate per 100,000)	15	69.3	84.5	66.2		2017
Adults without age appropriate vaccinations	17	64.9%	68.7%	62.8%		2018
Health Care Quality	Rank	Value	U.S. Average	Benchmark		Data Year
Potentially avoidable emergency department visits among adults ages 18-64 with employer-sponsored insurance per 1,000 enrollees	17	135.9	142.2	127.6		2016
Potentially avoidable emergency department visits among Medicare beneficiaries age 65 and older per 1,000 beneficiaries	40	212.2	196.9	173.5		2015

[Logo Here]

	Rhode Island		Comparisons		
30-day hospital readmissions among adults ages 18-64 with employer-sponsored insurance, per 1,000 enrollees	39	3.4	3.1		2016
30-day hospital readmissions among Medicare beneficiaries age 65 and older per 1,000 beneficiaries	38	45.1	41	28.7	2017
Catheter-associated urinary tract infections (CAUTI), Standardized Infection Ratio (SIR)	49	1.15	1.000	0.70	Mar-2019
Central line-associated bloodstream infections (CLABSI), SIR	41	0.77	1.000	0.58	Mar-2019
Clostridioides difficile (CDI), SIR	50	0.89	1.000	0.61	Mar-2019
Home health patients with hospital admission	42	16.5%	15.6%	14.6%	2018
Antipsychotic Medication	34	16.0%	14.4%	14.7%	Sep-2019
Re-hospitalization post nursing home admission	43	24.7%	22.3%	21.0%	Jun-2019
<b>Health Outcomes</b>	<b>Rank</b>	<b>Value</b>	<b>U.S. Average</b>	<b>Benchmark</b>	<b>Data Year</b>
Drug Deaths per 100,000 population	45	27.5	16.9	12.3	2016
Alcohol-related deaths per 100,000 population	23	9.6	9.6	7.3	2017
Suicide Deaths per 100,000 population	9	11.9	14.5	13.8	2017
Frequent Mental Distress	24	12.3%	12.4%	11.2%	2018
Frequent Physical Distress	29	12.7%	12.0%	11.0%	2018
Diabetes	26	10.9%	11.0%	9.3%	2018
Infant Mortality	19	5.7	5.9	5.0	2016
Maternal Mortality	8	19.0	29.6	19.5	2017
<b>Health Equity</b>	<b>Rank</b>	<b>Value</b>	<b>U.S. Average</b>	<b>Benchmark</b>	<b>Data Year</b>
Housing cost burdened	44	34.6%	30.9%	25.2%	2018
Education	29	84.1%	84.6%	88.9%	2016-17
Food insecurity	23	11.0%	11.7%	9.6%	2018
Transportation (score out of 100)	8	71.4%	-	64.9%	2008-12





[Logo Here]

	Rhode Island		Comparisons		
<b>Health Behaviors</b>	Rank (1 = Best)	Measure Value	U.S. Average	Benchmark (10th Ranked State)	For this measure...
Excessive drinking	31	18.6%	18.0%	15.8%	▼ Lower is better
Childhood obesity	30	31.2%	30.8%	25.6%	▼ Lower is better
Physical inactivity	33	25.3%	23.8%	21.0%	▼ Lower is better
Obese adults	11	27.7%	30.9%	27.6%	▼ Lower is better
Adults who smoke	16	14.6%	16.1%	13.7%	▼ Lower is better
<b>Access and Affordability</b>	Rank (1 = Best)	Measure Value	U.S. Average	Benchmark (10th Ranked State)	For this measure...
Employee total out-of-pocket health insurance contributions as a share of median income	31	11.7%	11.7%	9.5%	▼ Lower is better
Medicaid community based expenditures	-	33.0%	-	-	-
Adults who went without care due to cost in past year	13	10.5%	12.2%	10.0%	▼ Lower is better
Number of mental health providers	6	409.5	247.4	373.3	▲ Higher is better
Adults who are uninsured	3	5.7%	12.5%	7.6%	▼ Lower is better
Children who are uninsured	4	2.2%	5.2%	2.7%	▼ Lower is better
Adults without a dental visit in past year	7	27.7%	32.4%	28.3%	▼ Lower is better
Adults without a usual source of care	3	13.9%	22.3%	16.4%	▼ Lower is better
<b>Clinical Care (Prevention &amp; Treatment)</b>	Rank (1 = Best)	Measure Value	U.S. Average	Benchmark (10th Ranked State)	For this measure...
Low birthweight	15	7.5%	8.3%	7.0%	▼ Lower is better
Mortality amenable to health care (rate per 100,000)	15	69.3	84.5	66.2	▼ Lower is better
Adults without age appropriate vaccinations	17	64.9%	68.7%	62.8%	▼ Lower is better

[Logo Here]

Health Care Quality	Rhode Island		Comparisons		For this measure...
	Rank (1 = Best)	Measure Value	U.S. Average	Benchmark (10th Ranked State)	
Potentially avoidable emergency department visits among adults ages 18-64 with employer-sponsored insurance per 1,000 enrollees	17	135.9	142.2	127.6	▼ Lower is better
Potentially avoidable emergency department visits among Medicare beneficiaries age 65 and older per 1,000 beneficiaries	40	212.2	196.9	173.5	▼ Lower is better
30-day hospital readmissions among adults ages 18-64 with employer-sponsored insurance, per 1,000 enrollees	39	3.4	3.1	-	▼ Lower is better
30-day hospital readmissions among Medicare beneficiaries age 65 and older per 1,000 beneficiaries	38	45.1	41	28.7	▼ Lower is better
Catheter-associated urinary tract infections (CAUTI), Standardized Infection Ratio (SIR)	49	1.15	1.000	0.70	▼ Lower is better
Central line-associated bloodstream infections (CLABSI), SIR	41	0.77	1.000	0.58	▼ Lower is better
Clostridioides difficile (CDI), SIR	50	0.89	1.000	0.61	▼ Lower is better
Home health patients with hospital admission	42	16.5%	15.6%	14.6%	▼ Lower is better
Percentage of long-stay residents who got an antipsychotic medication	34	16.0%	14.4%	14.7%	▼ Lower is better
Percentage of short-stay residents who were rehospitalized after a nursing home admission	43	24.7%	22.3%	21.0%	▼ Lower is better
Health Outcomes	Rank (1 = Best)	Measure Value	U.S. Average	Benchmark (10th Ranked State)	For this measure...
Drug deaths per 100,000 population	45	27.5	16.9	12.3	▼ Lower is better
Alcohol-related deaths per 100,000 population	23	9.6	9.6	7.3	▼ Lower is better
Suicide deaths per 100,000 population	9	11.9	14.5	13.8	▼ Lower is better
Frequent mental distress	24	12.3%	12.4%	11.2%	▼ Lower is better
Frequent physical distress	29	12.7%	12.0%	11.0%	▼ Lower is better
Diabetes	26	10.9%	11.0%	9.3%	▼ Lower is better
Infant mortality	19	5.7	5.9	5.0	▼ Lower is better
Maternal mortality	8	19.0	29.6	19.5	▼ Lower is better

[Logo Here]

Health Equity	Rhode Island		Comparisons		For this measure...
	Rank (1 = Best)	Measure Value	U.S. Average	Benchmark (10th Ranked State)	
Percentage of renters and owners who are housing cost burdened	44	34.6%	30.9%	25.2%	▼ Lower is better
Percentage of students graduating with a regular diploma within four years	29	84.1%	84.6%	88.9%	▲ Higher is better
Percentage of population with low or very low food insecurity	23	11.0%	11.7%	9.6%	▼ Lower is better
Transportation (score out of 100)	8	71.4%	-	64.9%	▲ Higher is better

---

**Data  
Year**

2018

2017-18

2018

2018

2018

**Data  
Year**

2017

2018

2018

2019

2018

2018

2018

2018

**Data  
Year**

2017

2017

2018



---

**Data  
Year**

2016

---

2015

---

2016

---

2017

---

Mar-2019

---

Mar-2019

---

Mar-2019

---

2018

---

Sep-2019

---

Jun-2019

**Data  
Year**

2016

---

2017

---

2017

---

2018

---

2018

---

2018

---

2016

---

2017

---

---

**Data  
Year**

2018

---

2016-17

---

2018

---

2008-12

---