

Health in Rhode Island

	Rhode Island		Comparisons					
Provide the most appropriate care for people in the most appropriate setting	Rank (1 = Best)	Measure Value	National Average	Benchmark (10th Ranked State)	Top Ranked State	For this measure...	Data Year	
Home health patients with hospital admission	21	15.5%	15.4%	14.3%	10.5%	▼ Lower is better	Dec-2019	
Nursing home rehospitalizations	38	22.5%	21.7%	17.8%	14.7%	▼ Lower is better	Jun-2020	
Nursing home antipsychotic use	35	15.5%	14.0%	12.0%	7.8%	▼ Lower is better	Jun-2020	
Central line-associated bloodstream infections (CLABSI), Standardized Infection Ratio (SIR)	47	0.80	1.00	0.56	0.31	▼ Lower is better	Dec-2019	
Catheter-associated urinary tract infections (CAUTI), Standardized Infection Ratio (SIR)	49	1.11	1.00	0.62	0.29	▼ Lower is better	Dec-2019	
Clostridioides difficile (CDI), Standardized Infection Ratio (SIR)	51	0.92	1.00	0.53	0.43	▼ Lower is better	Dec-2019	
Adults without age appropriate vaccinations	2	52.2%	59.7%	54.0%	52.0%	▼ Lower is better	2019	
Mortality amenable to health care (rate per 100,000)	15	69.3	84.5	66.2	54.5	▼ Lower is better	2017	
Medicaid community based expenditures*	-	39.0%	-	-	-	-	2018	
Focus upstream on root causes and invest in affordable housing, food security, and transportation to address underlying inequities and influencers of health disparities.	Rank (1 = Best)	Measure Value	National Average	Benchmark (10th Ranked State)	Top Ranked State	For this measure...	Data Year	
Percentage of renters and owners who are housing cost burdened	42	33.5%	30.6%	24.6%	20.9%	▼ Lower is better	2019	
Adults who went without care due to cost in past year	3	8.6%	12.6%	10.0%	8.2%	▼ Lower is better	2019	
Adjusted cohort graduation rate (ACGR) for public high school students: Percentage of students graduating with a regular diploma within four years	32	84.0%	85.3%	89.2%	91.4%	▲ Higher is better	2017-18	
Percentage of population with low or very low food insecurity	8	9.1%	11.1%	9.6%	6.6%	▼ Lower is better	2017-19	
Transportation costs as a percent of income for renters	11	30.4%	34.7%	30.0%	14.4%	▼ Lower is better	2012-16	
Excessive drinking	38	20.1%	18.2%	15.8%	12.0%	▼ Lower is better	2019	
Childhood obesity	36	33.0%	31.0%	26.0%	22.4%	▼ Lower is better	2018-19	

Health in Rhode Island

	Rhode Island		Comparisons				
Physical inactivity	26	26.5%	26.4%	23.2%	18.5%	▼ Lower is better	2019
Adult obesity	17	30.0%	32.4%	28.3%	23.8%	▼ Lower is better	2019
Adults who smoke	11	13.3%	16.0%	13.1%	7.9%	▼ Lower is better	2019
Frequent physical distress	28	13.0%	12.5%	10.7%	9.3%	▼ Lower is better	2019
Low birthweight	21	7.8%	8.3%	7.0%	6.3%	▼ Lower is better	2019
Infant mortality	16	5.6	5.7	4.8	3.9	▼ Lower is better	2018
Maternal mortality	8	19.0	29.6	19.5	12.4	▼ Lower is better	2017
Diabetes prevalence	21	10.4%	10.8%	8.8%	7.0%	▼ Lower is better	2019
Improve behavioral health outcomes by focusing on access to care, coordination of care, and prevention.	Rank (1 = Best)	Measure Value	National Average	Benchmark (10th Ranked State)	Top Ranked State	For this measure...	Data Year
Drug deaths per 100,000 population	38	28.8	21.5	14.1	8.7	▼ Lower is better	2019
Frequent mental distress	27	13.9%	13.8%	11.9%	10.6%	▼ Lower is better	2019
Alcohol-related deaths per 100,000 population	29	11.5	10.4	7.8	5.9	▼ Lower is better	2019
Number of mental health providers	6	433.1	268.6	407.2	666.4	▲ Higher is better	2020
Suicide deaths per 100,000 population	6	11.3	14.4	11.9	6.5	▼ Lower is better	2019

Health in Rhode Island

	Rhode Island		Comparisons			For this measure...	Data Year
	Rank (1 = Best)	Measure Value	National Average	Benchmark (10th Ranked State)	Top Ranked State		
Reduce wasteful spending in order to redirect those resources to social determinants and improve affordability.							
Potentially avoidable emergency department visits among adults ages 18-64 with employer-sponsored insurance per 1,000 enrollees	17	120.4	149.5	107.5	84.2	▼ Lower is better	2017
Potentially avoidable emergency department visits among Medicare beneficiaries age 65 and older per 1,000 beneficiaries	23	182.6	189.4	170.3	140.9	▼ Lower is better	2016
30-day hospital readmissions among adults ages 18-64 with employer-sponsored insurance, per 1,000 enrollees	26	3.2	3.2	2.9	2.3	▼ Lower is better	2017
30-day hospital readmissions among Medicare beneficiaries age 65 and older per 1,000 beneficiaries	42	45.3	40.0	27.7	18.5	▼ Lower is better	2018
Employee total out-of-pocket health insurance contributions as a share of median income	24	10.8%	11.5%	9.4%	7.7%	▼ Lower is better	2019

Health in Rhode Island

Ensure sustainability, accountability, and oversight of this vision, and maintain progress in key areas where Rhode Island performs well	Rhode Island		Comparisons				Data Year
	Rank (1 = Best)	Measure Value	National Average	Benchmark (10th Ranked State)	Top Ranked State	For this measure...	
Adults who are uninsured	3	5.9%	12.9%	8.1%	4.2%	▼ Lower is better	2019
Adults without a usual source of care	4	14.6%	23.0%	16.6%	11.6%	▼ Lower is better	2019
Adults without a dental visit in past year	7	27.7%	32.4%	28.3%	23.5%	▼ Lower is better	2018
Children who are uninsured	2	1.9%	5.7%	3.4%	1.5%	▼ Lower is better	2019

* Comparison data is not available for the Medicaid community based expenditures measure. This measure is based on the most recent data available from Rhode Island's Executive Office of Health and Human Services (EOHHS). National comparison data is only available through 2016 and uses a different definition of home and community based care.